




## B/CSB - Base










#### B/CSBBD2D - Base Butt Door Two Drawer



#### B/CSB2D2D - Base Two Door Two Drawer

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	WS	MI	DT	NB
	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	
34%D	W He	'idth: : eight: epth:	1 Size 30" – 31-1/ 12", 1 24", 2	48" 2" – 5", 1	42" 8", 21'		• WI Dr	nen he awer d	ight openi	chang ng hei	es, lo ght fi	wer op xed at	bening 5".	heig	ht cl	nange
							С	abine	t Co	de						
						B303	4.5			B423	34.5					
						B333	4.5			B453	34.5					
						B363	4.5			B483	34.5					
						B393	4.5									

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

6



## B/CSB3D3D - Base Three Door Three Drawer




## BTCP/CSBTCP - Base w/Trash Can Pull-Out


EXP V	FL	FUE	SS V	PFD	EXT V	FT V	SBR	LE V	TSS V	0S	NSH	ws	MI ✓	DT ✓	NB
Custom Width: 1 Height: 3 Depth: 2	8" – 2 31-1/2	27"			due f Trasl Hard Singl avail Pull- Units 2 car rang When	to tra n can Map le car able. out u s inclu s inclu s 18" ns. W es, sp n cab ver op	sh car pull-c le plyv n, doul nit is 6 ude 7 g – 23- /hen o becify binet h bening	n pull but ur vood ble ca 5" hig gallor 15/16 rderir singl eight heig	-out a nit is p top. ans or gh to a n grey 5" hav ng cus e can chan ht fixe	and ha prefini accon wasi wasi ye one stom , doul ges, l ed at		e requ Natura no cut te doc S. units 2 Ibinets Is or r	uirem al Birc -outs or mo 24" – s with to cut	ents. ch wit s are ountin - 27'' nin th t-outs	th a g. incluc ese S.
				BT	CP18		ibinet		le TCP2	434.5	5				
					CP21				TCP2						



#### BS/CSBS - Base Sink w/Butt Doors




### BS/CSBS2D1D - Base Sink Two Door One Drawer



#### BS/CSBS2D2D - Base Sink Two Door Two Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
<	~	~	~	~	~	~	~	~	~	STD	STD		~		



Custom Size Ranges Width: 30" - 48"Height: 31-1/2" - 42"Depth: 18" - 30"

- Two false drawer fronts.
- When height changes, lower opening height changes. Drawer opening height fixed at 5".

Cabin	et Code
BS3034.5	BS4234.5
BS3334.5	BS4534.5
BS3634.5	BS4834.5
BS3934.5	

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



34-1/2" H

#### ASB/CSASB - Apron Sink Base w/Butt Doors


6" Middle Rail




Custom Size Ranges Width: 24" – 36" Height: 31-1/2" – 42" Depth: 18" – 30" • Sink bowl opening is 5-1/2" high, width is 6" less than cabinet width.

- Sink opening is trimmable to 4-1/2" in height and 3" in width.
- When height changes, lower opening height changes.

Cabin	et Code
ASB2434.5BD	ASB3334.5BD
ASB2734.5BD	ASB3634.5BD
ASB3034.5BD	





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### **BFD/CSBFD - Base Full Door**



EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	MI	DT	NB
<	~	~	~	~	<	<	>	<	~	~	>	~	~	<	

Custom Size Ranges Width: 9" – 24" Height: 10" – 48" Depth: 5-1/2" – 30"


<ul> <li>BFD0934.5 does not get shelv</li> </ul>	ves.
--	------

- 10" 22" high has no shelves.
- 22-1/16" 28" high has one shelf.
- 28-1/16" 40" high has two shelves.
- 40-1/16" 48" high has three shelves.
- Specify single or butt doors on custom size cabinets 24" wide.

Cabin	et Code
BFD0934.5	BFD1834.5
BFD1234.5	BFD2134.5
BFD1534.5	BFD2434.5

#### BFD/CSBFD - Base Full Door w/Butt Doors

v       v
$= \underbrace{\begin{array}{c} \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $
Cabinet Code
BFD2434.5BD BFD3334.5BD
BFD2734.5BD BFD3634.5BD
BFD3034.5BD




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### BFD/CSBFD2CS - Base Full Door w/Two Center Stiles



## BFDRO/CSBFDRO - Base Full Door Roll-Out

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB	
	~	~	~	~	~	~	~	~	~	~	STD	STD			STD		
171-4C	<ul> <li>Custom Size Ranges</li> <li>Width: 12" - 24"</li> <li>Height: 31-1/2" - 34-1/2"</li> <li>Depth: 12", 15", 18", 21", 24", 27", 30"</li> <li>Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.</li> <li>Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse pull (shown).</li> </ul>																
								Cabin	net C	ode							
					E	BFDRO	D123	4.5		BFDR	02134	.5					
					E	BFDRO	D153	4.5		BFDR	02434	.5					
					E	BFDRO	D183	4.5									
																	_



#### BFDRO/CSBFDRO - Base Full Door Roll-Out w/Butt Doors

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
Γ	~	~	~	V	~	~	~	~	~	~	STD	STD			STD	




Custom Size Ranges Width: 24" – 36" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21", 24", 27", 30"

- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.

Cabine	t Code
BFDRO2434.5BD	BFDRO3334.5BD
BFDRO2734.5BD	BFDRO3634.5BD
BFDRO3034.5BD	

## BFDROI/CSBFDROI - Base Full Door Roll-Out Inset

EX	P	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	MI	DT	NB
~	·	~	~	~	~	~	~	~	~	~	STD	STD			STD	



Custom Size Ranges
Width: 15" – 24"
Height: 31-1/2" - 34-1/2"
Depth: 12", 15", 18",
21", 24", 27", 30"

Custom Cine Dennes

- Specifically designed for inset application.
- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Drawer slides are 3" less than the depth of the cabinet to accommodate inset doors and hardware.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.

Cabine	t Code
BFDROI1534.5	BFDROI2134.5
BFDROI1834.5	BFDROI2434.5

#### BFDROI/CSBFDROI - Base Full Door Roll-Out Inset w/Butt Doors

	EXP V	FL ✓	FUE	SS V	PFD	EXT	FT V	SBR	LE V	TSS	0S STD	NSH STD	WS	МІ	DT STD	NB	
<sup>3</sup> <sup>3</sup> <sup>3</sup>	Custom Size Ranges Width: 24" – 36" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21", 24", 27", 30"						<ul> <li>Specifically designed for inset application</li> <li>Units are configured with four 5" high or Interior panels are pre-drilled for drawer and installation.</li> <li>Drawer slides are 3" less than the dept to accommodate inset doors and hardw</li> <li>Roll-out drawers include hand pulls. Sp Circle or Ellipse (shown) pull.</li> </ul>							h drawer boxes. wer slide placement epth of the cabinet dware.			
					Cabinet Code												
					BF	DRO	2434	.5BD		BFDF	ROI333	4.5BD					
			BF	DRO	2734	.5BD		BFDF	ROI363	4.5BD							
							BFDROI3034.5BD										

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

6

34-1/2" H



#### **BWD/CSBFD - Base Wall Depth**

	EXP ✓	FL ✓	FUE V	SS	PFD	EXT ✓	FT ✓	SBR 🖌	LE V	TSS	0S ~	NSH	ws ✓	MI ✓	DT V	NB
34-1/2"H		Wid <sup>:</sup> Heig	tom Si th: 9" Jht: 10 th: 5-1	- 24' '' - 4	.8"		<ul> <li>22</li> <li>28</li> <li>40</li> <li>Sp</li> </ul>	-1/16" -1/16" -1/16"	– 28 – 4( – 48	3" higł )" higł 3" higł 3" higł or bu	n has n has n has	nelves. one sl two sl three ors on	helf. helves shelv	es.	ze	
	Cabinet Code															
-	BWD1234.5 BWD213								134.	5						
		4.5		BWD2434.5												
	BWD1834.5									1						

BWD/CSBFD - Base Wall Depth v	v/Butt Doors												
75	EXP FL FUE S	~	~	~	~	~		<b>v</b>	NSH ✓	~	MI   🗸	DT	NB
H-1/2,1/2,"0	Width: 24" - Height: 10" Depth: 5-1/2	- 48"		• 28 • 40 • Sp	-1/16' )-1/16'	" – 4( " – 4; single	0" higi 8" higi e or bu	h has h has	s one s s two s s three ors on	helve shelv	/es.	ze	
					binet								
	BWD2434.5BD BWD3334.5									_			
Ψ			02734	-		BN	VD36	34.5	RD				
		BW	03034	I.5BL	)					]			

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
$V_{2^n}$ Width: $27^n - 48^n$ $\cdot 22-1/16^n - 28^n$ high has one shelf.Height: $10^n - 48^n$ $\cdot 28-1/16^n - 40^n$ high has two shelves.Depth: $5-1/2^n - 30^n$ $\cdot 40-1/16^n - 48^n$ high has three shelves.
Cabinet Code    BWD2734.5   BWD3934.5
BWD2734.5 BWD3934.5
BWD3034.5 BWD4234.5
BWD3334.5 BWD4534.5
BWD3634.5 BWD4834.5



#### B2D/CSB2D - Base Two Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~	~	~	~	~	~	~	~	~	STD	STD			~	




2"
",

• When height changes, both drawer heights are equal.

Cabi	net Code
B2D1234.5	B2D2734.5
B2D1534.5	B2D3034.5
B2D1834.5	B2D3334.5
B2D2134.5	B2D3634.5
B2D2434.5	B2D3934.5

#### B2DRO/CSB2DRO - Base Two Drawer Roll-Out

				J I	-				NSH			MD
~ ~ ~	~	~	~	~	~	~	~	STD	STD	~	~	



Custom Size Ranges Width: 12" – 39" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21", 24", 27", 30"

- Units are configured with 4" high roll-out drawers over 6" high conventional drawer box in each opening.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse pull (shown).
- When height changes, both drawer heights are equal.

Cabin	et Code
B2DRO1234.5	B2DRO2734.5
B2DRO1534.5	B2DRO3034.5
B2DRO1834.5	B2DRO3334.5
B2DRO2134.5	B2DRO3634.5
B2DRO2434.5	B2DRO3934.5



#### B3D/CSB3D - Base Three Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	WS	MI	DT	NB
٢	<	~	~	~	<	<	~	~	~	STD	STD			~	

Custom Size Ranges Width: 12" - 39" Height: 31-1/2" - 34-1/2" Depth: 12", 15", 18", 21", 24", 27", 30"

• When height changes, lower opening height changes. Upper and middle opening heights fixed at 5" and 8".

	34-1/2" H
--	-----------

Cabinet Code									
B3D1234.5	B3D2734.5								
B3D1534.5	B3D3034.5								
B3D1834.5	B3D3334.5								
B3D2134.5	B3D3634.5								
B3D2434.5	B3D3934.5								

B3DEH/CSB3DEH - Base Three	e Drawer w/	/Two B	Equa	al He	igh	t Lov	ver	Dra	wers				
H <sub>12/1-86</sub> H <sub>12/1-86</sub> H <sub>12/1-86</sub>	EXP         FL         FU           ✓         ✓         ✓           Custom Size Ra         ✓         ✓           Width: 12" – 33         Height: 31-1/2"         →           Depth: 12", 15"         ✓         ✓	UE SS / / / anges 9" - 34-1/	PFD ✓ /2" 0"	EXT V	FT /hen pper	SBR height openir Cabine	LE Char ng he	TSS v nges, ight fi	1	NSH STD wer ope 5".		DT Chan	
			<u> </u>	3DEH 3DEH		-		-	13034. 13334.	-			
			<u> </u>	3DEH 3DEH				-	13334. 13634.	-			
			⊢	3DEH:	-	-		-	13934.	-			




WS | MI | DT | NB

V

~

# B4D/CSB4D - Base Four Drawer



Custom Size Ranges
Width: 12" – 39"
Height: 31-1/2" – 34-1/2"
Depth: 12", 15", 18", 21",
24", 27", 30"

~

V

EXP | FL | FUE | SS | PFD

~ ~

• When height changes, lower opening height changes. Upper opening height fixed at 5".

NSH

STD

**0S** 

STD

Cabinet Code									
B4D1234.5	B4D2134.5								
B4D1534.5	B4D2434.5								
B4D1834.5	B4D2734.5								

LE

TSS


EXT FT SBR

v | v | v | v

V

B4D2S2EH/CSB4D2S2EH - Base	Fou	r Dra	awe	r w/	/Twc	o Sid	e b	y Sid	le E	qua	l Heig	ght L	owe	r Dr	awe	ers
241,0	EXP V	FL ✓	FUE	SS V	PFD	EXT	FT V	SBR	LE ✓	TSS	0S STD	NSH STD	ws	MI ✓	DT ✓	NB
34-1/2" H	Custom Size Ranges Width: 30" – 39"								char 1g he	iges, t ight fiz	ooth lov xed at \$	ver ope 5".	ening h	neight	ts cha	ange.
							(	Cabin	et C	ode						
					B4	D2S2E	EH30	34.5	B	4D2S2	EH363	4.5				
					B4	D2S2E	EH33	34.5	B	4D2S2	EH393	4.5				







#### BCPLS – Base Corner Pie Cut Lazy Susan


36" W

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	MI	DT	NB
~	~	~		~	~	~				~	STD		~	STD	

Custom Size Ranges Width: 36" Height: 34-1/2" Depth: 36"

36",D

24" D sides




- Cabinet includes 32" diameter entry level plastic susan with two independently rotating kidney shelves mounted on a center pole.
- White susan shelves feature a self-lubricating nylon bearing and tool-free height adjustment.
- Height customization is not available due to susan size constraints.
- Minimum entry opening width required is 35" (doorways, hallways, etc.).
- When hinges are ordered in 1-1/4" and 1-3/8" overlay applications, cabinets will have their door sized as 1/2" overlay in width only.
- If hinges are not specified, 1-1/4" and 1-3/8" overlay sizing rules apply. These overlays require adequate clearance for door functionality between corner and adjacent cabinets. Use filler or extended stiles accordingly.

**Cabinet Code** 

BCPLS3634.5

- Not available with inset applications.
- · Optional Soss hinges available.



34-1/2" H



#### BCP3D/CSBCP3D - Base Corner Pie Cut Three Drawer EXP FL | FUE | SS | PFD | EXT FT SBR | LE | TSS | OS | NSH DT NB WS MI 1 V STD 1 1 • 1-1/4" and 1-3/8" overlay applications will have their drawer fronts sized as 1/2" overlay in width only. Custom Size Ranges Width: 39", 42" Height: 31-1/2" - 34-1/2" · Not available with inset applications. Depth: 39", 42" Not available with miter drawer front. Cabinet includes corner drawer boxes with back extensions. Each drawer front comes as two separate pieces using edge profile L151 (45 degrees) standard to form the mitered inside corner. 24" D sides 34-1/2" H · 5-piece drawer fronts, one stile on each will be 3/4" wider on the mitered edge to form the inside corner. Wide framing upcharges will apply. · Extrerior edge profiles can be specified to match adjacent cabinetry. · Customizable in height only. • When height changes, lower opening height changes. Upper and middle opening heifghts fixed at 5" and 8". • Separate 4" high toe platform is standard to aid in passing through doorways. 39 · Minimum entry opening with width required is 35" (doorways, hallways, etc.). 24 24" 42" Cabinet Code 39 BCP3D3934.5 15' 18' BCP3D4234.5 24" 24' **BCFD/CSBCFD** - Base Corner Full Door

	EXP FL	FUE	SS	PFD	EXT	FT V	SBR	LE	TSS	0S	NSH V	ws	MI V	DT STD	NB
36" W 24" D sides 24" D sides 17" Face 18-3/32" Frame Width	Custom S Width: 36 Height: 3 Depth: 36	6" 1-1/2" -	0		<ul> <li>Mini hally</li> <li>Whe (with</li> </ul>	f mo Sect mum ways, en oro h or v /2" c filler	unted ion 10 entry , etc.). dered i withou overlay	wood - Ad ope in 1 t hin r in w ende	ccesso ning w 1/4" a ges), o vidth o ed stile	nd 1- cabine	require 3/8" o ets wil o ensur	ed is 3 overlay I have re ade	35" (c / app e their	e. loorwa lication r door s e cleara	s sized

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

18-3/32" Frame Width



#### BCFDLS - Base Corner Full Door w/ Lazy Susan



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### **BBCR/CSBBCR – Base Blind Cabinet Blind Right**

	EXP FL	FUE	SS	PFD	EXT V	FT	SBR	LE ✓	TSS	0S 🗸	NSH V	ws V	MI ✓	DT V	NB
34-1/2"H	Custom Size Width: 36" – Height: 31-1/ Depth: 12", 1 24", 27", 30' Functional op	- 48" /2" - 4 !5", 18 '	12" 3", 21		• • • •	Blind Spec Door Wher Draw 1-1/4 Door speci Minir 2-1/2 door Excea great	sectio ify fun is alw heigh rer heig and height fied. num e and dr and dr ssive h	on is ctio ays nt ch ght i 1-3 t and xpos rawe rawe nard ount	size is on the nal ope hingec hanges fixed a /8" ove d adjac sed blin re adec er func ware p t of exp gly.	e right ening I on c , lowe t 5". erlay i cent ro cent ro nd am quate tion. projec	t. width enter s er oper use 1/2 eveal v nount f cleara tion m	betwe stile fo ning h 2" ove vill fol for all nce fo ay rec	een 1 or all eight erlay low o overl or adj quire	2" ar overla char hinge overla ays is jacen a	ays. Iges. Is. Y
				DD	CR36		abinet		de BCR4	5241	5				
6" Center Stile					CR36		_		BCR4		-				
			Ē	BB	CR42	34.5									

#### **BBCL/CSBBCL – Base Blind Cabinet Blind Left** FUE EXP FL SS PFD EXT FT SBR LE TSS 05 DT NB ~ ~ V 1 **Custom Size Ranges** · Overall cabinet size is the actual width specified. Width: 36" - 48" · Blind section is on the left. Height: 31-1/2" - 42" Specify functional opening width between 12" and 21". Depth: 12", 15", 18", 21", · Door is always hinged on center stile for all overlays. 24", 27", 30" • When height changes, lower opening height changes. Functional opening: 12" - 21" Drawer height fixed at 5". • 1-1/4" and 1-3/8" overlay use 1/2" overlay hinges. · Door height and adjacent reveal will follow overlay specified. • Minimum exposed blind amount for all overlays is 2-1/2" to ensure adequate clearance for adjacent 34-1/2" H door and drawer function. · Excessive hardware projection may require a greater amount of exposed blind. Design and install accordingly. **Cabinet Code** BBCL3634.5 BBCL4534.5 6" Center Stile BBCL3934.5 BBCL4834.5 BBCL4234.5

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom




#### BFDBCR/CSBFDBCR – Base Full Door Blind Cabinet Blind Right

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	МІ	DT	NB
~	~	~		~	~	~	~	~		~	~	~	~	~	

Custom Size Ranges Width: 36" - 48"Height: 31-1/2" - 42"Depth: 12" - 30"Functional opening: 12" - 21

Functional opening: 12" – 21



" – 21"	<ul> <li>Specify f</li> <li>Door is a</li> <li>1-1/4" ar</li> <li>Door heig specified</li> <li>Minimum 2-1/2" to door and</li> <li>Excessiv greater a</li> </ul>	tion is on the right. unctional opening width lways hinged on center and 1-3/8" overlay use 1/ ght and adjacent reveal w on exposed blind amount of ensure adequate clearad drawer function. e hardware projection m mount of exposed blind. cordingly.	stile for all overlays. 2" overlay hinges. will follow overlay for all overlays is ance for adjacent way require a						
	Cabin								
BFDB	CR3634.5	BFDBCR4534.5	BFDBCR4534.5						
BFDB	CR3934.5	BFDBCR4834.5							
BFDB	CR4234.5								

• Overall cabinet size is the actual width specified.

#### BFDBCL/CSBFDBCL – Base Full Door Blind Cabinet Blind Left

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	МІ	DT	NB
	~	~	~		~	~	~	~	~		~	~	~	~	~	
	Custom Width: Height: Depth: Functio	36" – 31-1/ 12" –	- 48" /2" - 4 - 30"	2"	– 21"	•	Blind Spec Door 1-1/4 Door spec Minir 2-1/2 door Exce great	section ify fun- is alw and heigh ified. num e 2" to e and d ssive h	on is action ays I 1-3/ t and expos nsure rawe nardw ount	on the nal ope ninged 8" ove adjac d adjac ed blir e adec r func vare p of exp	e left. ening I on c erlay ent re ent ro nd an juate tion. rojec	width enter s use 1/ eveal v nount f cleara tion m blind.	betwo stile fo 2" ove will fol for all ince fo ay reo	een 1 or all erlay llow o overl or adj quire	2" ar overl hinge overla lays is jacen a	nd 21 ays. es. ly S
					RED	BCL3		binet		le DBCL	1531	5				
6" Center Stile				-		BCL3		-				-				
				ŀ		BCL4		-				-				


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



## BCT/CSBCT - Base Cook Top w/Butt Doors



Custom Size Ranges
Width: 30" - 42"
Height: 31-1/2" – 42"
Depth: 12", 15", 18",
21", 24", 27", 30"

SS PFD

EXT FT SBR

~

~ ~ ~ ~ ~ ~

EXP

FL FUE

~ ~ ~ ~ ~ ~

• When height changes, upper opening height changes. Lower opening height fixed at 11-1/2".

**0**S

STD

NSH

STD


WS MI DT NB

LE TSS

Cabir	net Code
BCT3034.5BD	BCT3934.5BD
BCT3334.5BD	BCT4234.5BD
BCT3634.5BD	

#### BCT2D/CSBCT2D - Base Cook Top Two Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
1	~	~	~	~	~	~	~	~	~	STD	STD		~		



Custom Size Ranges
Width: 36" – 48"
Height: 34-1/2"
Depth: 24", 27", 30"


• Designed for countertop mounted professional-style cooktops (non-down draft ventilation units).

• Cabinet back recessed 3" to accommodate and conceal supply lines. Drawer box depth is 3" less due to the recessed back.

• Top drawer box is 8" high to accommodate appliance housing. Bottom drawer box is 10" high.

Cabin	net Code
BCT2D3634.5	BCT2D4534.5
BCT2D3934.5	BCT2D4834.5
BCT2D4234.5	

#### BR3D/CSBR3D - Base Range Three Drawer





## BCT4D/CSBCT4D - Base Cook Top Four Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~	~	~	~	<	<	~	~	<	STD	STD		~		

Custom Size Ranges Width: 36" – 60" Height: 34-1/2" Depth: 24", 27", 30"



- Designed for countertop mounted professional-style cooktops (non-down draft ventilation units).
- When cabinet width changes, drawer front widths remain equal.
- Cabinet back recessed 3" to accommodate and conceal supply lines. Drawer box depth is 3" less due to the recessed back.
- Top drawer box is 8" high to accommodate appliance housing. Bottom drawer box is 10" high.

Cabin	net Code
BCT4D3634.5	BCT4D5134.5
BCT4D3934.5	BCT4D5434.5
BCT4D4234.5	BCT4D5734.5
BCT4D4534.5	BCT4D6034.5
BCT4D4834.5	


## BRT2D/CSBRT2D - Base Range Top Two Drawer

34-1/2" H	EXPFLFUESSPF✓✓✓✓✓✓Custom Size Ranges Width: 36" – 48" Height: 34-1/2" Depth: 24", 27", 30"	• De • 6'' ap in • Ca su re	✓ </th <th>ed for stand ce. Op " incre t back lines. ed bac</th> <th>profe dard o penin emen a rece Draw ck.</th> <th>essiona openin g heig ts. ssed 3 ver box</th> <th>g inclu ht is cu 3" to ac</th> <th>is 3" le</th> <th>op unit floor able fi</th> <th>ts. to su rom 5</th> <th>" to 8" conceal</th>	ed for stand ce. Op " incre t back lines. ed bac	profe dard o penin emen a rece Draw ck.	essiona openin g heig ts. ssed 3 ver box	g inclu ht is cu 3" to ac	is 3" le	op unit floor able fi	ts. to su rom 5	" to 8" conceal
			С	abine	et Co	de					
		BRT2D	3634	.5	В	RT2D	4534.	5			
		BRT2D	3934	.5	В	RT2D	4834.	5			
		BRT2D4	102/	5							



BRT4D/CSBRT4D - Base Range	Тор	Fou	r Dra	awe	r											
	EXP V	FL ✓	FUE	SS V	PFD	EXT V	FT ✓	SBR	LE V	TSS V	0S STD	NSH STD	ws	MI ✓	DT	NB
H-1/2" H	Width Heigh	: 36" t: 34	ze Rar – 60' -1/2'' , 27'',	u		<ul> <li>6" h appl in 1/</li> <li>Whe remains</li> <li>Cabi Dravi</li> </ul>	igh si iance 16" i n cat ain eo net b ver b	tandar . Oper ncrem pinet w qual. ack is	d ope ling h ents. vidth rece th is	ening i neight chang ssed 3 also 3	include is custo jes, all 3" to co 3" less	boktop s full flo omizabl drawer onceal s due to t	oor to le fron width supply	n 5" 1 s lines	to 8"	:k.
ř A	1						C	abine	et Co	de						
					В	RT4D	3634	.5	E	BRT4D	05134.5	5				
					В	RT4D	3934	.5	E	RT4D	5434.	5				
					В	RT4D4	1234	.5	E	RT4D	5734.5	5				
					В	RT4D4	1534	.5	В	RT4D	6034.	5				
					В	RT4D4	1834	.5								

## **BUCM/CSBUCM - Base Under Counter Microwave**



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



WS | MI | DT | NB

## **BIUCM/CSBIUCM - Built-In Under Counter Microwave**



Custom Size Ranges
Width: 24" - 36"
Height: 31-1/2" – 42"
Depth: 12", 15", 18",
21", 24", 27", 30"

FUE

v | v | v

SS | PFD | EXT | FT | SBR | LE | TSS

1

V

FL |

EXP

**0**S

STD

~


NSH

STD


- Microwave opening is trimmable up to 5" in height and 3" in width.
- For 34-1/2" high cabinets, top opening height is 13".
- When height changes, upper opening height changes. Lower opening height fixed at 8".

Cabinet Code										
BIUCM2734.5	BIUCM3334.5									
BIUCM3034.5	BIUCM3634.5									

### **BAE/CSBAE - Base Angle End**



## BEAL(R)/CSBEAL(R) - Base End Angle Left (or Right)




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### **BDE/CSBDE - Base Double Entry w/Butt Doors**



#### BDE/CSBDE2D1D - Base Double Entry Two Door One Drawer



BDE/CSBDECS - Base Double Ent	ry w/	Cen	ter S	Stile	)											
	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
	~	~	~	~	~	~	~	~		~	~	~		~	~	
9-17. H	Wi He	dth: 3 ight: 3 pth: 1	Size R 30" – 4 31-1/2 12", 15 21", 24	18" " – 4 ", 18	2" ",	•	top o Whe	false o drawer n heig nges. D	<sup>.</sup> on c ht ch	opposi <sup>.</sup> anges	te sid , low	e. er ope	ning h			
							Ca	abinet	Cod	le						
					BI	DE303	34.5		E	BDE42	34.5					
				i i		DE363		1	_	BDE48						




WS | MI | DT | NB

V

## BC3DL/CSBC3DL - Base Combo Three Drawer Left w/Butt Doors

EXP

v | v | v | v | v | v | v | v | v | v



Custom Size Ranges
Width: 24" - 36"
Height: 31-1/2" – 42"
Depth: 12", 15", 18",
21", 24", 27", 30"

• When height changes, lower opening height changes. Drawer opening height fixed at 5" and 11-1/2".

OS NSH


• When width changes, drawer opening widths remain equal.

Cabin	let Code
BC3DL2434.5BD	BC3DL3334.5BD
BC3DL2734.5BD	BC3DL3634.5BD
BC3DL3034.5BD	

FL | FUE | SS | PFD | EXT | FT | SBR | LE | TSS |

#### BC3DL/CSBC3DLCS - Base Combo Three Drawer Left w/Center Stile

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
Wid Heig	th: 27 ght: 3 oth: 12	Size Ra 7" – 4 1-1/2" 2", 15" 1", 24"	8" ' – 42 ', 18",		Dr • W	awer hen v	neight r openi width o equal	ing h chanç	eight i	s fixe	d at 5	and	11-1/		es.
						Ca	abinet	Cod	le						
				BC	3DL27	734.5	5	BC	3DL3	3334.	5				
			ſ	BC	3DL30	)34.5	5	BC	3DL3	3634.	5				



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



MI DT

V 1

NB


WS

# BC3DR/CSBC3DRCS - Base Combo Three Drawer Right w/Center Stile

v | v | v | v

EXP

V



Custom Size Ranges
Width: 27" - 48"
Height: 31-1/2" – 42"
Depth: 12", 15", 18",
21", 24", 27", 30"

- When height changes, lower opening height changes. Drawer opening height is fixed at 5" and 11-1/2".
- When width changes, drawer opening widths remain equal.

Cabir	net Code
BC3DR2734.5	BC3DR3334.5
BC3DR3034.5	BC3DR3634.5

FL | FUE | SS | PFD | EXT | FT | SBR | LE | TSS | OS | NSH

v | v | v | v | v | v | v

BC4D/CSBC4DCS - Base Comb	o Fou	ır D	rawe	er												
	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	мі	DT	NB
	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	
34-1/2"H	Widt Heig	th: 36  ht: 3 <sup>-</sup> th: 12	ize Ra 5" – 48 1-1/2" 2", 15" ", 24"	3" - 42 , 18",	11	D • W	rawe /hen emair	height r oper width n equa	iing I chan I.	neight Iges, c	is fix	ed at 5	5" and	111-1	/2".	jes.
					BC4	1D243	4.5BI	D	BC	4D33	34.5E	BD				
					BC4	1D273	4.5BI	D	BC	4D36	34.5E	BD				
					BC4	D303	4.5BI	D								

## B2D5D/CSB2D5D - Base Two Door Five Drawer

31-1/2" & 34-1/2" H		FL   FU     V   V     V   V     Width: 4     Height: 3     Depth: 1     2	Size Rai 8" – 96 11-1/2"	nges " - 34-1 , 18"		<ul> <li></li> &lt;</ul>	Cabine 60" to When chang Middle Doors hinges	et wie 96" heigl es. T e drav hing for widtl y.	have ht cha op dra wer op ed on 1-1/4" h char cal par	8" to four to nges, wer o bening cente or 1- nges,	72" ha butt do lower opening g heigh er stile 3/8" c all ope	ave twoors. open g heig nt fixe requi overla enings	wo do ing hi ght fix d at 8 re 1/2 ys. s are o	ked at 5 8". 2" over configu	". ay
	Cabir	net Cod	e – 2 B	Butt Do	oors				Cab	oinet	Code	– 4 E	Butt D	Doors	
	B2D5D4	834.5	B	2D5D6	6334.5	5		B2	D5D6	034.	5BD	B2	D5D8	3134.51	3D
	B2D5D5	134.5	B	2D5D6	6634.5	5		B2	D5D6	334.	5BD	B2	D5D8	3434.51	3D
	B2D5D54	434.5	B	2D5D6	6934.5	5		B2	D5D6	634.	5BD	B2	D5D8	3734.51	3D
	B2D5D5	734.5	В	2D5D7	7234.5	5		B2	D5D6	934.	5BD	B2	D5D9	9034.5	3D
	B2D5D6	034.5						B2	D5D7	234.	5BD	B2	D5D9	9334.51	3D

B1D - Base One Draw	/er															
	EXP	•   FL	FUE	ss	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
	~	~	~	~	~	~	~	~	~	~	STD	STD		~	~	
34.0	V H	Nidth: Ieight	n Size 12" – 12" - 12", 1 21", 2	36" - 21" 5", 18		When height changes, drawer box heig proportionately.									Inges	
						B1D1		abine)			2721					
					-	B1D1		-+			3021					
						B1D1	-	$\rightarrow$			3321					
						B1D2	-				3621					

B2D5D7534.5BD

B2D5D9634.5BD

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


**CONESTOGA**<sup>®</sup>



#### B1D/CSB1DCS - Base One Drawer w/Center Stile







 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

6



