
#### **VB/CSB - Vanity Base** EXP FL FUE SS PFD EXT FT SBR LE TSS **0S** NSH WS MI DT NB V V ~ ~ ~ ~ ~ 1 ~ ~ 1 ~ ~ ¢27 · When height changes, lower opening height changes. **Custom Size Ranges** Upper opening height fixed at 5". Width: 12" - 24" Height: 31-1/2" - 42" · Specify single or butt doors on custom size cabinets 31-1/2" & 34-1/2" H 24" wide. Depth: 12", 15", 18", 21", 24", 27", 30" **Cabinet Code** VB1231.5 VB1234.5 VB1534.5 VB1531.5 VB1834.5 VB1831.5 VB2131.5 VB2134.5



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

8




#### VS/CSBS2D1D - Vanity Sink Two Door One Drawer





VBS/CSVBS - Vanity Base Sink w/Butt Doors



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

8.2



# VBS/CSVBSCS - Vanity Base Sink w/Center Stile







8



# VSRV/CSVSRVCS - Vanity Sink Reverse w/Center Stile



# VBF/CSBFD - Vanity Base Full Door



#### VBF/CSBFD - Vanity Base Full Door w/Butt Doors

	EXP ✓	FL ✓	FUE	SS V	PFD	EXT V	FT	SBR	LE V	TSS V	0S ✓	NSH ✓	WS ✓	MI	DT v	NB		
31-1/2" & 34-1/2" H		W H	ustom /idth: 2 eight: epth: 3	24" – 10" -	36" - 48"	)" •	22- 28- 40- Spe	1/16" 1/16" 1/16" cify si	22" high has no shelv 5" $-$ 28" high has on 6" $-$ 40" high has tw 5" $-$ 48" high has th $2^{\circ}$ single or butt doors is 24" wide.			one sh xwo sh hree s	elves. helve	s.	9			
31-							Ca	abinet	t Coc	le								
	L				VB	F2431	.5BI		VE	3F243	4.5B	D						
					VB	F2731	.5BI	2	VE	3F273	4.5B	D						
					VB	BF3031.5BD			VBF3034.5BD									
	VBF3631.5BD								VE	3F363	4.5B	D						


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

#### V3D/CSB3D - Vanity Three Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	MI	DT	NB
~	~	~	~	<	~	<	~	~	<	STD	STD		<	<	



• When height changes, lower opening height changes. Upper and middle opening heights fixed at 5" and 8".


Cabin	let Code
V3D1231.5	V3D1234.5
V3D1531.5	V3D1534.5
V3D1831.5	V3D1834.5
V3D2131.5	V3D2134.5
V3D2431.5	V3D2434.5


EXP       FL       FUE       SS       PFD       EXT       FT       SBR       LE       TSS       OS       NSH       WS       MI       DT       NB         V	V4D/CSB4D - Vanity Four Drav	wer											
HUTER TOTAL AND A STREET AND A		EXP FL FUE SS	PFD EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21" 24", 27", 30"		v v v v	~ ~	~	~	~	~	STD	STD		~	~	
V4D1231.5         V4D1234.5           V4D1531.5         V4D1534.5           V4D1831.5         V4D1834.5           V4D2131.5         V4D2134.5	4-1/2" H	Width: 12" – 39" Height: 31-1/2" – 34 Depth: 12", 15", 18"	4-1/2" ', 21"	Upp	er ope	ning	height	s, lower s fixed	openir at 5".	ıg heig	jht ch	nanges	3.
V4D1831.5         V4D1834.5           V4D2131.5         V4D2134.5			V4D <sup>-</sup>	1231.8	5		V4D	1234.5					
V4D2131.5 V4D2134.5			V4D	1531.	5		V4D	1534.5					
			V4D	1831.	5		V4D	1834.5					
V4D2431 5 V4D2434 5			V4D	2131.8	5		V4D2	2134.5					
VIDENTIA VIDENTIA			V4D2	2431.	5		V4D2	2434.5					



# VCL/CSVCL - Vanity Combination Left

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
<	<	<	~	~	~	~	~	~	~	STD	STD		~		






8



### VCR/CSVCR - Vanity Combination Right


EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	МІ	DT	NB
~	~	~	~	~	~	~	~	~	<	STD	STD		<		



Custom Size Ranges Width: 30" – 36" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21" 24", 27", 30" • False top drawer front.


- When height changes, lower opening heights change. Upper and middle opening heights fixed at 5" and 8".
- When width changes, door and fasle drawer openings change. Lower drawer openings fixed at 12".
- Specify single or butt doors on custom size cabinets 36" wide.
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.


Cabin	et Code
VCR3031.5	VCR3034.5
VCR3331.5	VCR3334.5
VCR3631.5	VCR3634.5





## VC3DL/CSVC3DL - Vanity Combo Three Drawer Left





8

WS

MI DT

~


NB



# VC3DR/CSVC3DR - Vanity Combo Three Drawer Right

EXP

v 1 v



Custom Size Ranges	• Wh
Width: 36" – 48"	ope
Height: 31-1/2" – 34-1/2"	• Wh
Depth: 12", 15", 18", 21"	cha
24", 27", 30"	at
_ , _ , _ , 00	• Do

~

FL FUE SS PFD EXT FT SBR

v | v | v | v | v | v

<ul> <li>When width changes, door and false drawer</li> </ul>
openings remain fixed.
• When height changes, lower enoning heights

**0**S

STD

LE TSS

NSH

STD


- When height changes, lower opening heights change. Upper and middle opening heights fixed at 5" and 8".
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabine	et Code
VC3DR3631.5	VC3DR3634.5
VC3DR3931.5	VC3DR3934.5
VC3DR4231.5	VC3DR4234.5
VC3DR4531.5	VC3DR4534.5
VC3DR4831.5	VC3DR4834.5

VC3DR/CSVC3DR - Vanity Com	bo Three Drawe	ers w/	/But	t Do	ors								
31-1/2" & 34-1/2" H		PFD • • • • • • • • • • • • • • • • • • •	<b>ЕХТ</b> ✓	<ul> <li>FT</li> <li>Whop</li> <li>Whop</li> <li>Whot</li> <li>Whot</li></ul>	SBR	dth c rem ight o Uppe 1 8".	hange ain fix chang r and on ce	ed. es, low middle nter sti	NSH STD and fa er open openin le requi ' overla	lse dr iing hi g heig re 1/2	rawer eights ghts f	s ixed	NB
31-1/2				С	abine	t Co	de						
		VC3	DR36	631.5	BD	VC	3DR	3634.5	BD				
		VC3	DR39	931.5	BD	VC	3DR	3934.5	BD				
		VC3	BDR42	231.5	BD	VC	3DR4	4234.5	BD				
		VC3	DR45	531.5	BD	V	C3DR	4534.5	BD				
		VC3	DR48	331.5	BD	VC	3DR4	4834.5	BD				



# VCFD3DL/CSVCFD3DL - Vanity Combo Full Door Three Drawer Left




VCFD3DL/CSVCFD3DL - Vanity	Combo Full Do	or Three	Drawe	rs Le	eft w	/Butt	Door	s		
	EXP FL FUE SS	PFD EXT	FT SB	R LE	TSS	0S STD	NSH STD	WS	MI ✓	DT NB
31-1/2" & 34-1/2" H	Custom Size Raı Width: 36" – 48 Height: 31-1/2" Depth: 12", 15", 24", 27",	– 34-1/2" 18", 21"	fixed a • Doors	neight . Uppe : 5" ar ninged	chang er and id 8". on ce	es, low middle nter sti	er openi drawer	ng he openi re 1/2	ights ng he	eights
				inet C						
		VCFD3DL					84.5BD			
		VCFD3DL					34.5BD	-		
		VCFD3DL	4231.5BI				34.5BD	-		
		VCFD3DL	4531.5BI		/CFD3	3DL45	34.5BD			
		VCFD3DL	4831.5BI		/CFD3	3DL48	34.5BD			



#### VCFD3DR/CSVCFD3DR - Vanity Combo Full Door Three Drawer Right

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	мі	DT	NB
~	~	<	~	~	~	~	~	~	~	STD	STD		~		




	Custom Size Ranges
1	Width: 36" – 48"
	Height: 31-1/2" – 34-1/2"
	Depth: 12", 15", 18", 21"
	24", 27", 30"

- When width changes, door opening remains fixed.
- When height changes, lower opening heights change. Upper and middle drawer opening heights fixed at 5" and 8".
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabir	let Code
VCFD3DR3631.5	VCFD3DR3634.5
VCFD3DR3931.5	VCFD3DR3934.5
VCFD3DR4231.5	VCFD3DR4234.5
VCFD3DR4531.5	VCFD3DR4534.5
VCFD3DR4831.5	VCFD3DR4834.5

## VCFD3DR/CSVCFD3DR - Vanity Combo Full Door Three Drawers Right w/Butt Doors

ĺ	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
	<	~	~	~	~	~	~	~	~	~	STD	STD		~		




Custom Size Ranges Width: 36" – 48" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21" 24", 27", 30"


- When width changes, door opening remains fixed.
- When height changes, lower opening heights change. Upper and middle drawer opening heights fixed at 5" and 8".
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabine	et Code
VCFD3DR3631.5BD	VCFD3DR3634.5BD
VCFD3DR3931.5BD	VCFD3DR3934.5BD
VCFD3DR4231.5BD	VCFD3DR4234.5BD
VCFD3DR4531.5BD	VCFD3DR4534.5BD
VCFD3DR4831.5BD	VCFD3DR4834.5BD



#### VC6D/CSVC6D - Vanity Combination Six Drawer w/Butt Doors







8



### VLV/CSVLV - Vanity Linen Vanity Height




#### VLV/CSVLV - Vanity Linen Vanity Height w/Butt Doors




8



# VLB/CSUCR - Vanity Linen Base Height




# VLB/CSUCR - Vanity Linen Base Height w/Butt Doors





#### VUC/CSUC - Vanity Utility



#### VUC/CSUC - Vanity Utility w/Butt Doors 18" <sup>\$</sup>~?7"D EXP FL FUE SS PFD EXT FΤ SBR LE TSS 0\$ NSH WS MI DT NB V 1 1 ~ ~ ~ 1 ~ 1 ~ ~ V v **Custom Size Ranges** 84" – 90" high has six shelves. Width: 24" - 36" • 90-1/16" - 96" high has seven shelves. Height: 84" - 120" • 96-1/16" - 108" high has eight shelves. Depth: 5-1/2" - 30" • 108-1/16" - 120" high has nine shelves. • Matching specie interior is not available over 96" high. Natural Birch UV material will be used. т 84" · When height changes, upper opening height changes. Lower opening height fixed at 56". · Specify single or butt doors on custom size cabinets 24" wide. · Separate 4" high toe platform is available with all cabinet heights.

Cabinet Code VUC2484BD

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



## VL3V/CSVL3V - Vanity Linen Three Drawer Vanity Height

18" & 27" D	EXP V	FL ✓	FUE	SS V	PFD	EXT V	FT ✓	SBR	LE V	TSS V	0S 🗸	NSH V	ws ✓	MI ✓	DT	NB
H.H	Widtl Heigl	h: 12' ht: 84 h: 12'	ize Rai " – 24 I" – 12 ", 15", ", 27",	" 20" 18",	21"	<ul> <li>84</li> <li>90</li> <li>96</li> <li>103</li> <li>Ma Na</li> <li>Wh Lov 8-1</li> <li>Spi 24</li> <li>Sej</li> </ul>	" – 9 -1/16 -1/16 8-1/1 ttchin tural wer d /2". ecify wid parat	0" hig 5" – 96 6" – 10 6" – 1 g spec Birch l eight c Irawer single e.	h ha: 5" hių 20" 20" cie in UV n chanų opei or b	s four gh has igh ha high h terior nateria ges, up ning ho utt doo	shelv five s six as se is not l will oper o eights ors or	1/2" hi es. shelve shelve even sh t availa be use openin s fixed n custo is ava	s. es. able o ed. g heig at 5",	, ver 9 , 8" a ze cal	6" hi nange and binet	gh. es.
								abinet	Cod							
~					-	/L3V18 /L3V2 <sup>.</sup>				VL3V	2484					

#### VL3V/CSVL3V - Vanity Linen Three Drawer Vanity Height w/Butt Doors




Vanity Cabinets


8



#### VL3B/CSU3D - Vanity Linen Three Drawer Base Height



#### VL3B/CSU3D - Vanity Linen Three Drawer Base Height w/Butt Doors



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

8



### **VW/CSW - Vanity Wall**





#### WHV/CSWHV - Wall Hung Vanity

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	WS	MI	DT	NB
	~	~	~		~	~					STD	STD		~	STD	~
24"H		Width Heigh	om Siz 1: 21" 1: 18" 1: 18"	- 24' - 24		<ul> <li>The on T cab into scr</li> <li>Cor</li> </ul>	e load the q inets two ews f nesto	l capa uality are so or mo the cal ga will	city o of the ecure re st pinet not	of these e insta ed into uds, us may n be res	e cabin Ilation s the wa sing hig ot supp ponsibl	ation cle ets is g screws ill studs jh quali port the e for ca jues or	reatly and v . If no ty ins desir abinet	vheth ot sec tallati ed w failur	er the ured on eight.	
								24"	Higl	า						
								WH	/212	4						
								WH	/242	4						

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# WHV/CSWHV - Wall Hung Vanity w/Butt Doors

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	МІ	DT	NB
~	~	~		~	~					STD	STD		~	STD	~
\ 	Nidth Teigh <sup>:</sup>	m Size : 24" - t: 18" : 18" -	- 36" - 24'	1	<ul> <li>The on cal interview</li> </ul>	e loa the c pinet o two	d capa quality s are s o or mo	of th of th ecur	of thes ne insta red into tuds, u	4 install se cabir allation o the wa using hi not sup	iets is g screws all studa gh qual	ireatly and v s. If no ity ins	wheth ot sea stallat	ner the cured tion	

24" H		<ul><li>screws the cab</li><li>Conestoga will</li></ul>	re studs, using high q inet may not support not be responsible fo nstallation techniques	the desired weight. r cabinet failure due
b - 1		24"	High	
	[	WHV2424BD	WHV3324BD	
	[	WHV2724BD	WHV3624BD	
		WHV3024BD		

# WHV/CSWHVCS - Wall Hung Vanity w/Center Stile

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
<i>v</i>	~	~		~	~					STD	STD		~	STD	~
	Width Heigh	m Size : 27" t: 18" : 18"	– 48' – 24		<ul> <li>The on cat into scr</li> <li>Cor</li> </ul>	e load the q binets b two ews nesto	d capa uality are so or mo the cal ga will	city o of the ecure re st oinet not	f these e insta ed into uds, us may n be res	e cabin llation the wa sing hig ot supp ponsibl	ation cl ets is g screws ill studs gh qual port the e for ca ques or	reatly and v s. If no ity ins desir abinet	vheth ot sec tallati red w failur	er the ured ion eight.	
	J						24"	High	)						
L'a					WH	V272	24		WH	/3924					
					WH	V302	24		WH\	/4224					
					WH	V332	24	Γ	WH\	/4524					
					WH	V362	24	1	WH/	/4824					

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# WHV2D/CSWHV2D - Wall Hung Vanity Two Drawers

	EXP ✓	FL ✓	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S STD	NSH STD	WS	MI ✓	DT STD	NB V
24" H		Custo Width Heigh Depth	: 21" - t: 18"	- 36" - 24		to a Inc The on cal inte scr Co	accor ludes e load the c binets b two ews nesto	modate s two p d capae juality s are s o ar mo the cal oga will	e inse precu city o of th ecure pre st binet	et drav t 2 x 4 of thes e insta ed into uds, u may r be res	vers an install e cabin llation the wa sing hi not sup ponsib	he dept d hardv ation cl uets is g screws all stud: gh qual port the le for c ques or	ware. eats. greatly and v s. If no ity ins e desii abinet	v depo wheth ot sec stallat red w	endent her the cured ion reight.	
						WH\	/2D2		Hig		2D3024	1				
						WH\	/2D2	424		WHV2	2D3324	1				
					Г	WΗ\	/2D2	724		WHV2	2D3624	1				

8