


# **UC/CSUC** - Utility Cabinet



# UC/CSUC - Utility Cabinet w/Butt Doors

UC3384BD UC3390BD UC3396BD UC3684BD UC3690BD UC3696BD	H-90 J-01	Wic Hei	dth: 2 ght: 8	FUE	Ran 36" 120' – 30 8 UC UC UC	4" Hi , 22484 22784 23084 23384	gh BD BD BD	Mate 96" I be u Whe char 84" - 90-1 90-1 90-1 108- Sepa all ca Spec size	nigh. sed. 90" (16" - (16" - (16" - (16" - (176" - (17	spe Natu ght o Low high - 96" - 108 - 12 4" h t hei ingle ingle 0BD 0BD 0BD 0BD	cie in Iral B chang er op has : high 3" high 20" hig 10" hig 20" hig 21" w 24" w 10 11 11 11 11 11 11 11 11 11	irch ges, enin six s has has has has e pla utt de ide. <u>96"</u> JC24 JC27 JC30	r is ne UV m uppe g hei helve seve s eigh as nir atforn oors o High 96BD 96BD 96BD 96BD	r ope ght fi s. n sho ht sho he sh h ava on cu	ailat ial w ening ixed elves elves elves	ill at 56 s. s. s. e in	ght
----------------------------------------------------------	-----------	------------	------------------	-----	---------------------------------------------------	------------------------------------------------	----------------------	-----------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------	------------------------------------------------------------	----------------------------------------	-----


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



## UC/CSUCCS - Utility Cabinet w/Center Stile



## UCD/CSUC - Utility Cabinet Deep

24"0		KP	FL ✓	FUE	SS	PFD	EXT	FT ✓	SBR	LE V	TSS	OS ✓	NSH	WS	MI ✓	DT	NB
84", 90" & 96" H	Custorr Width: Height: Depth:	12" - 84"	- 24 - 12	." 20"	es	N • W La • 84 • 96 • 96 • 10 • 5 ha	atura /hen ower 4" – 9 0-1/16 6-1/16 08-1/1 epara eights	I Bin heig oper 0" h 5" – 9 5" – 9 6" – 16" – 16" – 16" – 16" – 16" – 16" – 16" – 16" –	pecie ch U\ ht ch igh hi 96" hi 108" I - 120" " high ngle o	/ ma ange neigl as si gh h nigh high n toe	aterial es, up ht fixe has se has e has e has platf	will oper ed at elves even eight nine	be us open 56". shel shel shel avail	sed. ing h ves. ves. lves. able	ieigh	nt ch	ange
						4" Hi CD15	- -		90" H JCD1	<u> </u>			High 1596				
					U	CD18	84	l	JCD1	390		UCD	1896				
					U	CD21	84	1	JCD2	190		UCD	2196				
					U	CD24	84	l	JCD2	490		UCD	2496				


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### UCD/CSUC - Utility Cabinet Deep w/Butt Doors



7


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



#### UCD/CSUCCS - Utility Cabinet Deep w/Center Stile



#### UCW/CSUCW - Utility Cabinet Wall Height Top Section

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	WS	MI	DT	NB
	~	~	~		~	~	~	~	~		~	~	~	~		
84", 90" & 96" H	Custom S Width: 12" Height: 84 Depth: 5-1	– 24 " – 12	 20"	S	h 899 • M • V ca 89 • 9 • 1 • S • S	eight 4" hig 0" hig 6" hig 1atch latura Vhen hang t 48-1 4" – 9 0-1/1 6-1/1 6-1/1 68-1/	as f h h h h h h - h	ollow 30" w 36" w 42" w specie ch U' inet h ccorc nigh h 96" h 108" - 120' 4" higi	s: vall c vall c vall c e int V ma eigh Jingl as s igh l high high h toe	abine abine erior ateria t cha y. Lo ix sh has s has s has has has	ets. ets. is nc is nc is nc elves ever eigh s nin form	be us s, top openi s. n shel t shel e she avail	ilable sed. oper ng he ves. ves. lves. able	e ove ning eigh	er 96 heiu t is f	6" high ght
					84" Hig		1	90" Hi				High				
					CW15		-	JCW1		_		/1596				
∐M					CW18		-	JCW1		_		/1896	_			
					CW21		-	JCW2		_		/2196	_			
				U	CW24	184	ι	JCW2	490		UCW	/2496				


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# UCW/CSUCW - Utility Cabinet Wall Height Top Section w/Butt Doors





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# UCDW/CSUCW - Utility Cabinet Deep Wall Height Top Section

	EXP FL FUE SS	PFD EXT	FT SBR	LE TSS	os	NSH	ws	мі	DT	NB
	V V V V	~ ~	~ ~	~ ~	~	~	~	~		
84", 90" & 96" H		height 84" hig 90" hig 96" hig • Match Natura • When chang at 48- • 84" - 9 • 90-1/1 • 90-1/1 • 108-1/ • Separ height	as follow $gh = 30^{\circ} \times 30^$	vall cabir vall cabir vall cabir ie interior IV materia height ch dingly. Lo nas six sh high has high has high has high has or butt do ligh 1590 1890 2190	ets. ets. is not ange ower nelve seven s nin tform oors o 96" UCD\ UCD\	ot ava I be u s, top open s. n she at she at she n avai	ilable sed. ope ing h lves. lves. lable stom	e ove ning eigh ⊧ in a	er 96 I heig I is fi	" high ght xed pinet

# UCDW/CSUCW - Utility Cabinet Deep Wall Height Top Section w/Butt Doors

			EXP	FL	FUE	55	PFU	EXI	FI	SBR	LE	155	05	NSH	ws	IVII	וע	NB
			~	~	~	~	~	~	~	~	~	~	~	~	~	~		
84", 90" & 96" H	24.0	Widt Heig	om S h:24" ht: 84 h: 5-1	– 36  " – 1	" 20"	Pes	he 84 90 96 • Mi Na • W ch 48 • 84 • 90	atural hen c	as fo n – 3 n – 3 n – 4 ng sj Biro s ac 2" hi " – 9	ollows 0" wa 6" wa 2" wa becie ch UV het he cordi gh ha 96" hig	all ca all ca all ca inte ' ma eight ingly as si gh h	abine abine abine rior is terial char char char s se as se	ets. ets. s not will nges ver o elves	avail be us , top penir shelv	able ed. oper ng he /es.	ove iing l	r 96" heigl	high.
							• 10	8-1/1	6" –	120"	high	n has	nine	shel	ves.			
								epara eights		' high	toe	platf	orm	availa	able i	n all	cab	inet
							• Sp 24	pecify " wid	' sine e.	gle or	<sup>-</sup> but	t doo	ors or	n cus	tom s	size	cabii	nets
L		11				84" I	High		9	0" Hig	jh		96	" Higł	۱			
					UC	DW2	2484E	D	UCD	W249	0BD	) ι	JCDV	N2496	6BD			
					UC	DW2	2784B	D	UCD	W279	0BD	) (	JCDV	N2796	6BD			
					UC	DW3	3084E	D	UCD	W309	0BD	) ι	JCDV	V3096	6BD			
					UC	DW3	3384E	D	UCD	W339	90BC	) ι	JCDV	V3396	6BD			
					UC	DW3	3684E	D	UCD	W369	0BD	)   l	JCDV	V3696	BD			

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


7

**Tall Cabinets** 

7.6



## UCDW/CSUCWCS - Utility Cabinet Deep Wall Height Top Section w/Center Stile



	v	/ /	~	Ĭ	~	~	~	~	~		~	~	~	~		
84", 90" & 96" H	Custom Width: Height: Depth:	12" – 2 84" –	4" 120"	es	h N • V • 8 • 9 • 9 • 9 • 1 • 9	iigh. Jatura Vhen hang t 27- 34" – 9 00-1/1 06-1/1 08-1/ Separ	al Bi cab les a 1/2". 90" h 6" – 6" – (16" –	rch U inet h iccord nigh h 96" h 108" - 120	V m neigh ding nas s nigh high high " hig high	ateria nt cha ly. Lo six sh has s n has gh ha	al will ange wer elve sever eigh s nin	ot ava I be u s, top open s. n she t she e she n avai	sed. o ope ing h lves. lves.	ening ieigh	ı hei t is f	ght
				8	84" Hi	gh		90" H	igh		96"	High				
				U	CR15	84	l	JCR1	590		UCR	1596				
				U	CR18	84	l	JCR1	890		UCR	1896				
				U	CR21	84	l	JCR2	190		UCR	2196				
				U	CR24	84	ι	JCR2	490		UCR	2496				

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


7



#### UCR/CSUCR - Utility Cabinet Reverse w/Butt Doors



#### UCR/CSUCRCS - Utility Cabinet Reverse w/Center Stile




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



## UCDR/CSUCR - Utility Cabinet Deep Reverse



EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~	~	~	~	~	~	~	~	~	~	~	~	~		

Custom Size Ranges Width: 12" – 24" Height: 84" – 120" Depth: 5-1/2" – 30"

- changes. Lower opening height fixed at 27-1/2".
- 84" 90" high has six shelves.
- 90-1/16" 96" high has seven shelves.
- 96-1/16" 108" high has eight shelves.
- 108-1/16" 120" high has nine shelves.
- Separate 4" high toe platform available in all cabinet heights.

Matching specie interior is not available over 96"


high. Natural Birch UV material will be used.

• When height changes, upper opening height

• Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDR1584	UCDR1590	UCDR1596
UCDR1884	UCDR1890	UCDR1896
UCDR2184	UCDR2190	UCDR2196
UCDR2484	UCDR2490	UCDR2496


#### UCDR/CSUCR - Utility Cabinet Deep Reverse w/Butt Doors




Options Key: EXP = Exposed End(s) FL = Flush End(s) FUE = Flush Unexposed End(s) SS = Shaped Side PFD = Prep for False Door EXT = Extended Stile(s) FT = Flush Toe SBR = Shaped Bottom Rail LE = Leg Extension TSS = Toe Space Side OS = Omit Shelving NSH = No Shelf Holes WS = Solid Wood Shelves MI = Matching Interior DT = Dust Top NB = Natural Finished Bottom



# UCDR/CSUCRCS - Utility Cabinet Deep Reverse w/Center Stile



#### U2D/CSU2D - Utility Two Drawer




	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	WS	MI	DT	NB
	~	~	~	~	~	~	~	~	~	~	~	~	~	~		
Custo Single Butt I Heigh Depth	e Doo Door \ nt: 84" n: 12",	or Wi Nidtl ' – 96	dth: 1 n: 24" 8"	2" – – 36	5"	ch • Lc • 8 • 9 • 9 • 96 • 10 • Sp	ang wer ase ( 4" – 0-1/ <sup>-</sup> 6-1/1 )8-1/ 08-1/	es. draw cabin 90" h 16" – 1 6" – 1 16" 12	ver s ets. igh 96" 08" 20"   gle c	ectio Draw has fo high I high high I	n alig er fr our s nas f has nas s	pper of gns w ont he shelve five sh six sh seven ors or	vith 3 eight ss. nelve nelve shel	4-1/2 s are es. s. lves.	2" hig e eqi	gh Jal.


	Single Door			Butt Doors	
84" High	90" High	96" High	84" High	90" High	96" High
U2D1884	U2D1890	U2D1896	U2D2484BD	U2D2490BD	U2D2496BD
U2D2184	U2D2190	U2D2196	U2D2784BD	U2D2790BD	U2D2796BD
U2D2484	U2D2490	U2D2496	U2D3084BD	U2D3090BD	U2D3096BD
			U2D3384BD	U2D3390BD	U2D3396BD
			U2D3684BD	U2D3690BD	U2D3696BD

Options Key: EXP = Exposed End(s) FL = Flush End(s) FUE = Flush Unexposed End(s) SS = Shaped Side PFD = Prep for False Door EXT = Extended Stile(s) FT = Flush Toe SBR = Shaped Bottom Rail LE = Leg Extension TSS = Toe Space Side OS = Omit Shelving NSH = No Shelf Holes WS = Solid Wood Shelves MI = Matching Interior DT = Dust Top NB = Natural Finished Bottom



## U3D/CSU3D - Utility Three Drawer





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

7



#### UCDRROI/CSUCRROI - Utility Cabinet Deep Reverse Roll-Out Inset





Custom Size Ranges Width: 15" – 36" Height: 84" – 120" Depth: 12", 15", 18", 21", 24", 27", 30"

- · Specifically designed for inset applications.
- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".
- 84" 90" high has four shelves.
- 90-1/16" 96" high has five shelves.
- 96 1/16" 108" high has six shelves.
- 108-1/16" 120" has seven shelves.
- Separate 4" high toe platform available in all cabinet heights.
- Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDRROI1584	UCDRROI1590	UCDRROI1596
UCDRROI1884	UCDRROI1890	UCDRROI1896
UCDRROI2184	UCDRROI2190	UCDRROI2196
UCDRROI2484	UCDRROI2490	UCDRROI2496

#### UCDRRO/CSUCRRO - Utility Cabinet Deep Reverse Roll-Out w/Butt Doors

134

EXP	FL	FUE	SS	PFD	ЕХТ	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~	~	V	~	~	~	~	~	~	V	~	~			

Custom Size Ranges Width: 24" – 36" Height: 84" – 120" Depth: 12", 15", 18", 21", 24", 27", 30"

- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".
- 84" 90" high has four shelves.
- 90-1/16" 96" high has five shelves.
- 96 1/16" 108" high has six shelves.
- 108-1/16" 120" has seven shelves.
- Separate 4" high toe platform available in all cabinet heights.
- Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDRRO2484BD	UCDRRO2490BD	UCDRRO2496BD
UCDRRO2784BD	UCDRRO2790BD	UCDRRO2796BD
UCDRRO3084BD	UCDRRO3090BD	UCDRRO3096BD
UCDRRO3384BD	UCDRRO3390BD	UCDRRO3396BD
UCDRRO3684BD	UCDRRO3690BD	UCDRRO3696BD

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


7


**Tall** Cabinets

7.12



#### UCDRROI/CSUCRROI - Utility Cabinet Deep Reverse Roll-Out Inset w/Butt Doors






 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# ODA/CSODACS - Oven Double Opening Type A w/Center Stile




#### ODB/CSODB - Oven Double Opening Type B w/Butt Doors




7.14



## ODB/CSODBCS - Oven Double Opening Type B w/Center Stile





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


7



## **OS/CSOSCS - Oven Single Opening w/Center Stile**



#### **RTB/CSRTB - Refrigerator Tall Both Sides w/Butt Doors**



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

7.16



# RTBHKXS/CSRTBHKXS - Refrigerator Tall Both w/HK-XS Lift System

Width: 30" - 39" Height: 84" - 120" Depth: 24" - 30"	EXTFTSBRLETSImage: Construction of the system hardware and the system hardware and the system hardware and the design of the system hardware and the design of the system hardware and the system hardware and the system hardware and the system hardware and the system system hardware of the system and the system hardware and the system and the system hardware and the system hardware and the system hardware and the system and the s	clude HK-XS Series Blum COMPACT hir gn determine the stre chanisms provided. I" are single panel do 6" are two panels sid panel door applies. es and inset/prefit op e cabinet code refer Il cabinet (example: s a 12" high upper ca for is not available ov material will be use n size refrigerator ca ight.	nges. ength por e by tions ubinet). ver 96" d. binets
84" High RTBHKXS331284 RTBHKXS331284 RTBHKXS331884 RTBHKXS361284 RTBHKXS361284 RTBHKXS361884 RTBHKXS391284 RTBHKXS391284 RTBHKXS391884	4         RTBHKXS332190           4         RTBHKXS332490           4         RTBHKXS361890           4         RTBHKXS362190           4         RTBHKXS362490           4         RTBHKXS362490           4         RTBHKXS391890           4         RTBHKXS391890           4         RTBHKXS392190	per cabinet has one 96" High RTBHKXS332496 RTBHKXS362496 RTBHKXS392496	shelf.

**Tall Cabinets** 



#### **RTB/CSRTBCS - Refrigerator Tall Both Sides w/Center Stile**


24"D

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
۲	~	~		~	<					~	~	~	~		

Custom Size Ranges Width: 30" – 51" Height: 84" – 120" Depth: 8" – 30"

- Middle numbers in the cabinet code refer to the height of the wall cabinet (example: RTB331284 has a 12" high upper cabinet).
- Matching specie interior is not available over 96" high. Natural Birch UV material will be used.
- When ordering custom size refrigerator cabinets specify top cabinet height.
- 21" 24" high upper cabinets have one shelf.
- 24-1/16" 27" high upper cabinet has two shelves.

84" High	90" High	96" High
RTB331284	RTB331890	RTB332496
RTB331584	RTB332190	RTB332796
RTB331884	RTB332490	RTB362496
RTB361284	RTB361890	RTB362796
RTB361584	RTB362190	RTB392496
RTB361884	RTB362490	RTB392796
RTB391284	RTB391890	
RTB391584	RTB392190	
RTB391884	RTB392490	



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom




#### RTLHKXS/CSRTLHKXS - Refrigerator Tall Left w/HK-XS Lift System


<ul> <li>Custom Size Ranges Width: 30" – 39" Height: 84" – 120" Depth: 24" – 30"</li> <li>Preconfigured units include HK-XS Series lift system hardware and Blum COMPACT hinges.</li> <li>Door weight and design determine the strength and quantity of lift mechanisms provided.</li> <li>Cabinet width 15" – 24" are single panel door designs. 24-1/16" – 36" are two panels side by side. Upcharges for 2 panel door applies.</li> <li>Rabbeted edge profiles and inset/prefit options are not available.</li> <li>Middle numbers in the cabinet code refer to the height of the wall cabinet (example: RTLHKXS331284 has a 12" high upper cabinet specify top cabinet height.</li> <li>12" – 18" high upper cabinet has no shelves.</li> <li>18-1/16" – 24" high upper cabinet has one shelf.</li> </ul>
RTLHKXS331284RTLHKXS331890RTLHKXS332496RTLHKXS331584RTLHKXS332190RTLHKXS362496
RTLHKXS331584 RTLHKXS332190 RTLHKXS362496
RTLHKXS331884 RTLHKXS332490 RTLHKXS392496
RTLHKXS361284 RTLHKXS361890
RTLHKXS361584 RTLHKXS362190
RTLHKXS361884 RTLHKXS362490
RTLHKXS391284 RTLHKXS391890
RTLHKXS391584 RTLHKXS392190
RTLHKXS391884 RTLHKXS392490

7



## **RTL/CSRTLCS - Refrigerator Tall Left w/Center Stile**





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



# RTRHKXS/CSRTRHKXS - Refrigerator Tall Right w/HK-XS Lift System

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
	~	~	~		~	~					~	~	~	~		
Part of the second seco	Custor Width: Height Depth:	30" - : 84"	- 39" - 12(	•	•	syste Door and Cabii desig side. Rabl are r Midc to the RTR uppe Matc 96" h Whe cabii 12" -	em h r wei quar net v gns. Upo coete not a lle n e he HKX er ca chingh. n or nets - 18"	ardw ght a tity c width 24-1 charg d edc ight c (S33 <sup>2</sup> binet y spec Natu derin spec high	are nd c f lift 15" /16" /16" /16" /16" /16" /16" /16" /16	and E lesign mecl - 24" - 36 or 2 p of les to the e wall has hteric Birch stom op ca er ca	Blum hanis are are are are cabi cabi cabi cabi a 12 or is r Size bine bine	HK-X CON termin sms p single two p I door d inse net co inet (e " high not av mater refrig t has abinet	IPACC ne tho provide parnel panel capp t/pre pde r pailab ial wi geratu ht. no sl	T hin e stru ded. nel du s sic lies. fit op efer nple: nple: nple: nple: helve	nge eng oor le b otior ver use es.	th vy ns ed.
				" Hig				90" Hi	- -			96" H				
		-	RTRH					HKXS				RHKX				
			RTRH			_		HKXS				RHKX				
		-	RTRH					HKXS: HKXS			RIF	RHKX	53924	496		
		-														
		-	RTRH					HKXS HKXS								
		-	RTRH					HKXS								
			TRH			_		HKXS								
			TRH					HKXS								

7

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



## **RTR/CSRTRCS - Refrigerator Tall Right w/Center Stile**

	EXP		PFD	EXT	FT	SR   LE		0S	NSH	ws	MI	DT	N
	~ ~	· · ·	~	~				~	~	~	~		
24%	Width: 30	84" – 120"	•	heig has Mato 96" I Whe cabi 21" - 24-1,	dle num ht of tho a 12" hi ching sp high. Na en orden nets sp - 24" hig /16" – 2 shelves	e wall igh up becie i atural ring cu ecify t gh upp 27" hig	cabine per ca interio Birch ustom top cal	et (e bine r is r UV r size bine cine	xamp et). not av nater refrig t heig ts hav	vailat vailat ial w gerat jht. ve or	TB3 ble or ill be or ne sh	ver e use	84 ed.
		84" H	ligh		90"	High			96" H	ligh			
		RTR33	1284		RTR	331890	)	F	RTR33	2496	i		
		RTR33	1584		RTR	332190	)	F	RTR33	2796	i		
		RTR33	1884	34 RTR332490				RTR362496					
		RTR36	1284		RTR	361890	D RTR362796				i	]	
		RTR36	1584	584 RTR362190	F	RTR39	2496	i					
		RTR36	1884		RTR	362490	)	F	RTR39	2796	i	]	
		RTR39	1284		RTR	391890							
		RTR39	1584		RTR	392190						]	
		RTR39	1884		RTR	392490	)						

#### TCH/CSTCH - Tall Corner Hutch w/Butt Doors



EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~					STD	~			~	~		~		

Custom Size Ranges Width: 24", 27", 30" Height: 84" – 96" Depth: 24", 27", 30"

- Lower section aligns with 34-1/2" high base cabinets.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".


84" High							
TCH2484BD	TCH3084BD						
TCH2784BD							

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom





CSCONH - Case Only No	o Shelf Holes
	EXP       FL       FUE       SS       PFD       EXT       FT       SBR       LE       TSS       OS       NSH       WS       MI       DT       NB         V       V       V       V       V       V       V       V       V       STD       V       V       I
	<ul> <li>Custom Size Ranges Width: 12" – 48"</li> <li>Height: 10" – 120" Depth: 5-1/2" – 30"</li> <li>Use Conestoga's online ordering system, Con- Nex or Conestoga order entry for pricing.</li> <li>Customizable cabinet case for custom base and tall applications.</li> <li>No front frame included – case only. Order custom size front frame, doors, drawer fronts and drawer boxes separately.</li> </ul>
	Loose fixed floor kits are sized to fit between sides. Plywood cleats included to mount floors as needed behind front frame openings. Floors include pre-inserted splines. Specify quantity of fixed floor kits per cabinet.
	Loose fixed floor kits     Atching specie interior is not available over 96"     high. Natural Birch UV material will be used.

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom